



1. Identification of Substance and Company

Product Name:	Armor All Membrane Air Freshener Arctic Cool
Other Names:	None
HSNO Approval:	HSR002574, Food Additives and Fragrance Materials (Combustible) Group Standard 2017
Hazchem Code:	3Z
Uses:	Car Air Freshener

Company Details

Company:	Spectrum Brands New Zealand Limited
Address:	Level one, 8 Hugo Johnson Drive, Penrose, 1061, Auckland, New Zealand
Telephone Number:	+64-9-571-7700
Emergency Telephone Number:	0800 764 766


2. Hazard Identification

Hazard Classifications


This product has been approved under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002574, Food Additives and Fragrance Materials (Combustible) Group Standard 2017), and is classified as follows:

Classes: 3.1D, 6.1E (aspiration), 6.3A, 6.4A, 6.5B, 6.8B, 6.9B, 9.1B

Symbols:
WARNING



Degree of hazard:



Other classifications

There are no other classifications that are known to apply.

Hazard and Precautionary Statements

Hazard Phrases	H227 - Combustible liquid. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H320 - Causes eye irritation. H317 - May cause an allergic skin reaction. H361 - Suspected of damaging fertility or the unborn child. H371 - May cause damage to organs through prolonged or repeated exposure. H411 - Toxic to aquatic life with long lasting effects.
Precautionary Phrases	P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from flames and hot surfaces*. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray*. P264 - Wash hands thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves and eye/face protection.



P308+P313 - IF exposed or concerned: Get medical advice/ attention.
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.
 P331 - Do NOT induce vomiting.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 - If eye irritation persists: Get medical advice/attention.
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
 P363 - Wash contaminated clothing before reuse.
 P391 - Collect spillage.
 P403+P235 - Store in a well-ventilated place. Keep cool.

3. Composition/Information on Ingredients

Component	CAS No	Proportion
Isoparaffin Solvent	64742-47-8	20-<25%
Dihydromyrcenol	18479-58-8	20-<25%
Linalyl Acetate	115-95-7	10-<20%
Isoalkanes (C11-C15)	90622-58-5	5-<10%
Linalool	78-70-6	5-<10%
Limonene	5989-27-5	1-<5%
Camphor oil	76-22-2	1-<5%
Cineole	470-82-6	1-<5%
Pin-2(3)-Ene	80-56-8	0.1-<1%
Tetrahydro-4-methyl-2-(2-methyl-1-propenyl)-2H-pyran	16409-43-1	0.1-<1%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (24 hr emergency service). If medical advice is needed, have product container or label at hand.
 IF exposed or concerned: Get medical advice/ attention.

Recommended first aid facilities Ready access to running water is required. Accessible eyewash is recommended.

Exposure

Swallowed	IF SWALLOWED: Do NOT induce vomiting. Wash mouth with water and give a glass of water to drink. Call a POISON CENTER or doctor/physician if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Apply continuous irrigation with water for at least 15 minutes holding eyelids apart. If eye irritation persists: Get medical advice.
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: get medical advice/attention. Take off contaminated clothing and wash before re-use.
Inhaled	No first aid measures normally required. However, if vapours or mists have been inhaled, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Advice to Doctor

Treat symptomatically.

5. Firefighting Measures

Fire and explosion hazards	This is a combustible liquid. This product has the potential to cause fire or to create an additional hazard during a fire.
Suitable Extinguishing Substances	Carbon dioxide, extinguishing powder, foam, fog sprays, water jets.
Unsuitable extinguishing substances	None known.
Protective Equipment	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
Danger caused by material, its combustion products or gases produced	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
Hazchem Code	1T (recommended, no HAZCHEM signage necessary)



6. Accidental Release Measures

Containment	If greater than 1000L is stored, secondary containment is required. Emergency plans to manage any potential spills must be in place. Prevent spillage from spreading or entering soil, waterways or drains.
Emergency procedures	The container size generally will prevent major spills. If a major spill (e.g. >100L) occurs: Stop leak if safe/necessary; Isolate area (ensure no persons inside spill area). Shut off all possible sources of ignition. Collect spill – see below; Transfer to container for disposal Dispose of according to guidelines below (Section 13)
Clean-up method	Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Disposal	Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.
Precautions	Wear protective footwear, overalls, gloves and safety glasses to clean-up large spills. Can be slippery on floors, especially when wet.

7. Handling and Storage

Storage	Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.

8. Exposure Controls/Personal Protection Equipment

Workplace Exposure Standards



A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 10mg/m³ for dusts and mists when limits have not otherwise been established.

NZ Workplace Exposure Standards (2016).	Ingredient	WES- TWA	WES- STEL
	No Ingredient listed	No data	No data

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes		Product is irritating to eyes – glasses are not required for normal use - use eye protection when using this product in bulk.
Skin		If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves, e.g nitrile gloves.
Respiratory		A respirator when airborne concentrations approach the WES (section 8). If using a respirator with an organic vapour cartridge. Ensure that the cartridges are correct for the potential air contamination and are in good working order.

9. Physical and Chemical Properties

Appearance:	pale yellow to yellow liquid
Odour	characteristic odour
pH	no data
Vapour pressure	no data
Refractive Index	no data
Viscosity	no data
Specific gravity	no data
Boiling point	no data
Volatile materials	no data
Softening/melting point	no data
Solubility	no data
Flash point	74°C
Upper & lower flammable limits	no data
Auto ignition temperature	no data
Corrosiveness	non corrosive



10. Stability and Reactivity	
Stability	Stable - unlikely to react/decompose under normal conditions
Conditions to be avoided	Combustible substance. Keep away from sources of ignition at all times. Containers should be kept closed when not in use in order to avoid contamination.
Incompatible materials	strong oxidising agents, strong acids, strong bases
Hazardous decomposition products	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.
Hazardous reactions	No specific hazards.
11. Toxicological Information	
<i>Summary</i>	
No data available on the mixture. This mixture has not been subjected to toxicological testing as a whole. The following toxicity is estimated from individual ingredients: IF SWALLOWED: may cause nausea, vertigo, dizziness, and gastrointestinal disturbances. May be harmful or fatal if swallowed and is aspirated to the lungs. IF ON SKIN: may cause mild irritation of the skin. Some sensitised individuals may experience allergic skin reactions if exposed. IF IN EYES: may cause irritation. IF INHALED: May cause dizziness and drowsiness and affect the kidney and liver.	
<i>Supporting Data</i>	
Acute:	Oral Using LD ₅₀ 's for ingredients, the calculated LD ₅₀ (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Isoparaffin Solvent >15000mg/kg (rat), Dihydromyrcenol 3600 mg/kg (rat), Isoalkanes (C11-C15) >5000mg/kg (rat), linalool 2200mg/kg (bw) mouse, 2790mg/kg (bw) rat, limonene 4400mg/kg (rat), Camphor oil 1310mg/kg, Pin-2(3)-Ene 3700mg/kg (rat). The solvent is an aspiration hazard.
	Dermal No evidence of dermal toxicity.
	Inhaled No evidence of inhalation toxicity.
	Eye This mixture is considered to be an eye irritant, because some of the ingredients present are considered to be eye irritants (linalool, limonene, camphor oil, cineole, pinene, Tetrahydro-4-methyl-2-(2-methyl-1-propenyl)-2H-pyran).
	Skin This mixture is considered to be a mild skin irritant, because some of the ingredients present are considered to be mild skin irritants (Isoparaffin Solvent, Dihydromyrcenol, linalool, limonene, Camphor oil, Cineole, Pin-2(3)-Ene, Tetrahydro-4-methyl-2-(2-methyl-1-propenyl)-2H-pyran)
Chronic:	Sensitisation: This product is considered a contact sensitiser. There are several ingredients present in >0.1% that are considered contact sensitisers: limonene, camphor oil
	Mutagenicity: No evidence of mutagenicity for the mixture or any of its components (>0.1%)
	Carcinogenicity: No evidence of carcinogenicity for the mixture.
	Reproductive / Developmental: Tetrahydro-4-methyl-2-(2-methyl-1-propenyl)-2H-pyran is considered a suspected reproductive/developmental toxicant.
	Systemic: Isoparaffin and Isoalkane solvents are suspected systemic toxicants on single exposure by inhalation.
Aggravation of Existing Conditions:	None known.
12. Ecological Data	
<i>Summary</i>	
This product is toxic in the aquatic environment with long lasting effects, but is not considered ecotoxic to land-based animals. Do not allow this product to enter drains or waterways.	
<i>Supporting Data</i>	
Aquatic	Several ingredients (>25%) are considered to be toxic in the aquatic environment with long lasting effects. These include: Isoparaffin solvent, linalyl acetate, isoalkanes, limonene, camphor oil, pinene.
Bioaccumulation	No data on mixture.
Degradability	No data on mixture.
Soil	No evidence of soil toxicity.
Terrestrial Vertebrate	No evidence of toxicity towards terrestrial vertebrates.
Terrestrial Invertebrate	No evidence of terrestrial invertebrate toxicity for the mixture or any of its components (>0.1%)
Biocidal	The product is not designed as a biocide.



13. Disposal Considerations

Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Dispose of residue and solutions that cannot be reused to sewer. If this is not possible dilute with water (at least 5 times as much water) and drain.
Contaminated Packaging	Rinse containers with water before disposal. Preferably re-cycle container, otherwise send to landfill or similar.

14. Transport Information

If this substance is transported in bulk: Transport according to NZS 5433 (Transport of Hazardous Substances on Land).

Considered a dangerous good for transport.

NOTE: This substance is packaged in small packaging (2.5ml) – limited quantities may apply

UN Number	3082	Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, n.o.s. (isoparaffin, linalyl acetate)
Class(es)	9	Packing group	Not applicable
Precautions	Marine pollutant	HAZCHEM code	3Z

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002574, Food Additives and Fragrance Materials (Combustible) Group Standard 2017 .

Specific Controls

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained. All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Packaging	
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 1000L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 1000L is stored.
Signage	Required if > 1000L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	If > 500L present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.



16. Other Information

Abbreviations	
Approval Code	Approval HSR002574, Food Additives and Fragrance Materials (Combustible) Group Standard 2017 Controls, EPA. www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number
Ceiling	Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical agent to which a worker may be exposed at any time.
Controls Matrix	List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).
EC₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL	Lower Explosive Limit
LD₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC₅₀	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
MSDS/SDS	Material Safety Data Sheet (or Safety Data Sheet)
PES	Prescribed Exposure Standard means a WES or a biological exposure standard that is prescribed in a regulation, a safe work instrument or an approval under HSNO (including group standards).
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
TWA	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
UEL	Upper Explosive Limit
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.
References	
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
WES 2016	The NZ Workplace Exposure Standards Effective from 2016, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz .
Other References	Suppliers SDS
Review	
Date	Reason for Review
February 2018	New SDS
Disclaimer	
<p>This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications, are based on our experience, SDS Guidelines and international classifications. This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: (09) 940 30 80.</p>	